


**Products**

- :: Brass BW 2 Parts Cable Glands
- :: Brass BW3 Parts Cable Glands
- :: Brass CW Cable Glands
- :: Brass CX Type Cable Glands
- :: Brass A2 Type Cable Glands
- :: Brass E1W Cable Glands
- :: Brass CXT Cable Glands
- :: Brass Marine Cable Glands
- :: Brass Metric Strain Relief Cable Glands
- :: Brass Wiping Cable Glands
- :: Brass PG Cable Glands
- :: Brass Cable Glands Accessories

## Twin Cord End Terminal Insulated Ferrules



- MANUFACTURED FROM PURE ELECTROLYTIC COPPER.
- COPPER LUGS & CABLE TERMINALS FROM 0.5 TO 16 MM<sup>2</sup> WITH DIFFERENT STUD HOLE SIZES AS REQUIRED.
- LEAD FREE ELECTRO TIN PLATED TO PREVENT ATMOSPHERIC CORROSION.
- CABLE LUGS ARE FULLY ANNEALED TO GUARANTEE OPTIMUM DUCTILITY.

**Products**

- :: Brass Flexible Conduit Fittings Cable Glands
- :: Brass Lock Nuts
- :: Brass Stop Plugs Blind Plugs
- :: Brass Thread Reducers Enlargers Converters
- :: Copper Cable Lugs and Terminals
- :: Conduit Fittings Accessories
- :: Rubber Grommets For Conduit Boxes
- :: Brass Cable Gland Selection Chart
- :: Brass Neutral Links Neutral Bars
- :: Brass Terminal Blocks
- :: Brass Terminals Terminal Bars

**TWIN CORD END TERMINAL INSULATED FERRULES**

CAT.NO	AREA MM <sup>2</sup>	COLOUR	DIMENSIONS (MM <sup>2</sup> )		
			J2	A	D
ZSFT-508L8	0.5	WHITE	8	1.5	5.6
ZSFT-509L8	0.75	GREY	8	1.8	6.2

ZSFT-509L10	0.75	GREY	10	1.8	6.2
ZSFT-510L8	1	RED	8	2	6
ZSFT-511L10	1	RED	10	2	6
ZSFT-512L8	1.5	BLACK	8	2.3	7.2
ZSFT-512L10	1.5	RED	10	2.3	7.2
ZSFT-513L12	1.5	BLACK	12	2.3	7.2
ZSFT-514L6	2.5	BLUE	6	2.9	8.5
ZSFT-514L8	2.5	BLUE	8	2.9	8.5
ZSFT-515L10	2.5	BLUE	10	2.9	8.5
ZSFT-515L12	2.5	BLUE	12	2.9	8.5
ZSFT-517L12	4	GREY	12	3.8	9.2
ZSFT-520L14	6	YELLOW	14	4.9	10.5
ZSFT-522L14	10	RED	14	6.5	13
ZSFT-525L14	16	BLUE	14	8.3	19.3

## Brass Cable Glands India

Click Here to Visit Our Website : [www.cable-glands-brass.com](http://www.cable-glands-brass.com)

Plot 10 - B GIDC Industrial Estate,  
Jamnagr, Gujarat 361005 India.

Tel No : +91-22- 43449300, +91-22- 43449323

**Fax No : +91- 22-22834046, +91-22- 40023682**